

BERGMANN ROLL-PACKER RPM 7700 MOBILE-JUMBO

**THE MOBILE
ROLL-PACKER.**



**EFFICIENT
COMPACTION.
EXTREMELY
FLEXIBLE.**

BERGMANN-ONLINE.COM

BERGMANN
Machines
for Waste Management

THE ORIGINAL SINCE 2000.

BERGMANN
ROLL-PACKER
MOBILE-JUMBO

› **EXTREMELY EFFICIENT.**

Achieves the highest compaction results with large and bulky amounts of rubbish and waste. Reduces disposal trips by up to 60%.

› **EXTREMELY FLEXIBLE.**

Serves any number of open containers up to 7 m in length. Moves containers up to 12 t to any place. Without a truck!

› **EXTREMELY ECONOMICAL.**

Saves time and money at every waste disposal centre. Reduces CO₂ to 1/5 of the original value.

› **BERGMANN
ROLL-PACKER**

RPM 7700 MOBIL-JUMBO.

For large, bulky quantities of garbage and waste.

BERGMANN

ROLL-PACKER

RPM 7700 MOBILE-JUMBO



ONE FOR ALL: THE SELF-DRIVING ROLL-PACKER.

The BERGMANN Roll-Packer RPM 7700 Mobile-Jumbo is a self-driving, powerful all-rounder that turns itself to account on every recycling centre. Its main job: **COMPACT** big lots of rubbish and waste **IN ALL OPEN CONTAINERS** on one location. But the Mobile-Jumbo can do even more: It **SHUNTS**. After a container is filled, the Mobile-Jumbo pulls it with the help of a hydraulic container moving device from the container parking space, makes it available for removal and picks up an empty container from the repository. Without a truck! In this way, it can easily **SAVE UP TO 60% OF THE DISPOSAL TRIPS** at a waste disposal centre.



DESCRIPTION	Mobile Roll-Packer with spiked drum for compaction in several open containers up to 7 m in length
TYPES OF WASTE	Cardboard plastics green waste wood waste light scrap
APPLICATIONS	Waste disposal centres recycling companies municipalities industrial companies wholesale markets waste sorting plants
DRIVE	3-cylinder common rail diesel engine Kubota 1826 ccm according to the latest emission standard TIER 4 / Stage V including diesel particle filter
USEFUL VOLUME	Various roll-off containers with a height of min. 2500 mm to max. 2700 mm (optional 3100 mm), container length up to max. 7000 mm
EQUIPMENT	Raised driver's cab 4000 mm for a view into the container, ergonomic access to the driver's cab, front window, side windows and rear window made of single-pane safety glass, protective grille on front window, enlarged front window tilted forward for a good view inside the container as well as a view of the optional container manoeuvring device, decoupling of the cabin from the machine body through hydraulic dampers, ergonomic seat, adjustable steering column, continuously programmable roller distance setting from the driver's cab, continuously electronically adjustable drive via multifunction joystick, heavy-duty solid rubber tires including collision protection for front wheels, digital speed display, interior lighting, sun visor, 2 LED headlights in front in the upper area of the cabin, front windscreen wipers with windscreen washer system, acoustic reversing signal, diesel-powered cabin heater, windscreen fan and much more.
SPECIAL ACCESSORIES	Air conditioning, patented container moving device for containers up to 12 t, radio and others.
DIMENSIONS	Width approx. 2930 mm, length approx. 4100mm, height approx. 7100mm (driving operation) Container dimensions: height 2500 mm to 2700 mm (optional 3100 mm), length up to approx. 7000 mm
WEIGHT	approx. 7000 kg
APPROVED	CE

EXTREMELY EFFICIENT.



01_

SAFE.

Safety glazing and protective grille for the windscreen as well as a lockable door ensure the safety of the driver during the entire compacting time. The increased driver's cab and the lower front window give the driver an optimal view inside the container.

ENVIRONMENT-FRIENDLY.

The integrated diesel engine with diesel particle filter complies with the latest emissions standard.

02_

ROBUST.

Collision protection for front wheels.

_03

RELIABLE.

The hydraulic drive proven for years and the oil cooler integrated as standard guarantee a high machine availability.

_04

SIMPLE.

The machine is easy and convenient to operate. After a short briefing, anyone can easily take control of the multi-function joystick.

_05

FLEXIBLE.

Optionally, the machine can manoeuvre containers up to 12 t with the aid of the patented container moving device. Without a truck! This increases the availability of the containers (e.g. on weekends).

_06

EASY TO MAINTAIN.

Generously dimensioned maintenance doors allow easy access to all important technical and hydraulic elements and thus facilitate the maintenance of the machine.

01



02



03



04



05



06





**OUR AMBITION:
WASTE COMPACTION
WITH MAXIMUM
EFFICIENCY.**

Heinz Bergmann



Heinz Bergmann OHG

Von-Arenberg-Str. 7 | 49762 Lathen | Germany
T +49 (0)5933 955-0 | info@bergmann-online.com
BERGMANN-ONLINE.COM



WE ARE BERGMANN.

› TECHNOLOGY LEADER

As a pioneer in waste management, we develop highly efficient machines for waste compaction. Always in focus: functionality, quality and safety.

› COST REDUCERS

When rubbish and waste become not only a problem, but also a cost factor, our machines are the first choice.

› PROBLEM SOLVER

We are in intensive dialogue with our customers and develop practical solutions for their current requirements.

› SERVICE PARTNER

We guarantee spare parts availability for 15 years and have an extensive service network of experienced technicians.

WE ARE BERGMANN. SINCE 1970.